



## Deckbake 850 2T Master Pro H24

Electrical Supply

CODE: 926052040

Trays	2T 40x60 cm
Internal dimensions	820 L x 730 P x 240 H mm
Outside dimension	1150 L x 1026 P x 457 H mm
Power	7,3 kW
Weight	122 Kg
Max temperature	300° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

### Equipment


Double low emissive glass	High-performance thermal insulation	Modularity
CE Certificate	Temperature control top / bottom in °C	Door gasket in refractory material
Time-programmable steam injection	Manual steam injection	Manual mode
Automatic preheating	Delayed start programming	Automatic detection and errors report
Overlap option	Ground in refractory cement	

### Options

Ethernet connection and wi-fi set-up DeckNET	Steamer and automatic chimney
--	-------------------------------

Deckbake 850 2T Master Pro H24

Electrical Supply



**Legend**

- A - Steam exhaust  $\varnothing$  80
- B - Equipotential terminal comb
- C - Electric supply

E - Drain liquid  $\varnothing$  12mm

Steamer Option:  
D - Water inlet 3/4"

**Deckbake 850 2T Master Pro H24**

Electrical Supply

**Supply and Connections**



**Packaging**



Packing size:	<b>1210 L x 1180 P x 660 H mm</b>
Net weight:	<b>122 Kg</b>
Gross weight:	<b>149 Kg</b>