



Gourmet 10T Master Pro

Electrical Supply

CODE: 926007630

Seats	80/160
Trays	10T GN 1/1
Outside dimension	715 L x 800 P x 1000 H mm
Tray distance	65 mm
Power	11 kW
Weight	90 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment



Display touch screen 7 inches LCD Double low emissive glass USB connection Usable also with GN2/3 and GN1/2 trays Five fan speeds and semi-static cooking Program blocking with password CE Certificate Automatic control of the cooking level and load Customized programs mode Automatic preheating Delayed cooking programming Automatic detection and errors report Openable inner glass for easy cleaning	Led illumination High-performance thermal insulation Blue LED for chamber cleaning check Core probe MultiBakePOINT Nine cooking modes Rounded baking chamber Automatic control of dry/steam balance inside the chamber Multi-timer function for multiple and mixed cooking Manual mode Cooling program Cooking chamber automatic cooling Safety rinse Fan inversion, speed control and motor brake	BakeAIR multi-fan system BakeCLEAN automatic washing system Water collection tray Set-up for BakeHIN vacuum core probe Automatic chimney opening BakeDRY Modularity Steam control in percentage BakeSTEAM Storage, viewing* and exportation of cooking data (haccp) Preset programs mode Delayed start programming Pre-loaded and online cookbook Overlap option Adaptive steam pressure and chamber saturation control
---	---	--

Options

BakeHIN vacuum core probe	Fat collection BakeFAT	Left door opening
---------------------------	------------------------	-------------------

Gourmet 10T Master Pro

Electrical Supply



Legend


A - Drain liquid Ø 30mm
B - Equipotential terminal comb
C - Electric supply
D - Water inlet 3/4" steam
E - Extracting hood supply
F - Steam exhaust Ø 50mm

G - Inlet for Clean and Care
H - Depressurizer Ø 12mm
M - Water inlet 3/4" washing

Gourmet 10T Master Pro

Electrical Supply

Supply and Connections



Packaging



Packing size:	790 L x 870 P x 1140 H mm
Net weight:	90 Kg
Gross weight:	104 Kg