



Gourmet 19T Master Pro

Electrical Supply

CODE: 926015730

Seats	160/240
Trays	19T GN 1/1
Outside dimension	850 L x 965 P x 1860 H mm
Tray distance	65 mm
Power	32 kW
Weight	177 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment


Led illumination High-performance thermal insulation Blue LED for chamber cleaning check Set-up for BakeHIN vacuum core probe Automatic chimney opening BakeDRY CE Certificate Automatic control of the cooking level and load Customized programs mode Automatic preheating Delayed cooking programming Automatic detection and errors report Fan inversion, speed control and motor brake	BakeAIR multi-fan system BakeCLEAN automatic washing system Usable also with GN2/3 and GN1/2 trays Five fan speeds and semi-static cooking Program blocking with password Automatic control of dry/steam balance inside the chamber Multi-timer function for multiple and mixed cooking Manual mode Cooling program Cooking chamber automatic cooling Safety rinse Adaptive steam pressure and chamber saturation control	Double low emissive glass USB connection Core probe MultiBakePOINT Nine cooking modes Rounded baking chamber Steam control in percentage BakeSTEAM Storage, viewing* and exportation of cooking data (haccp) Preset programs mode Delayed start programming Pre-loaded and online cookbook Openable inner glass for easy cleaning
---	---	--

Options

BakeHIN vacuum core probe

Gourmet 19T Master Pro

Electrical Supply



Legend


A - Drain liquid Ø 30mm
B - Equipotential terminal comb
C - Electric supply
D - Water inlet 3/4" steam
E - Extracting hood supply
F - Steam exhaust Ø 50mm

G - Inlet for washing kit Ø 8mm
H - Inlet for Clean and Care
I - Water inlet 3/4" washing

Gourmet 19T Master Pro

Electrical Supply

Supply and Connections



Packaging



Packing size:	950 L x 1040 P x 2090 H mm
Net weight:	177 Kg
Gross weight:	233 Kg