



Gourmet 5T GN2/3 Master Pro

Electrical Supply

CODE: 926004280

Seats	1/20
Trays	5T GN 2/3
Outside dimension	620 L x 750 P x 614 H mm
Tray distance	61 mm
Power	5 kW
Weight	45 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment



Led illumination	BakeAIR multi-fan system	Double low emissive glass
High-performance thermal insulation	BakeCLEAN automatic washing system	USB connection
Blue LED for chamber cleaning check	Water collection tray	Core probe MultiBakePOINT
Set-up for BakeHIN vacuum core probe	Five fan speeds and semi-static cooking	Nine cooking modes
Automatic chimney opening BakeDRY	Program blocking with password	Rounded baking chamber
Modularity	CE Certificate	Automatic control of dry/steam balance inside the chamber
Steam control in percentage BakeSTEAM	Automatic control of the cooking level and load	Multi-timer function for multiple and mixed cooking
Storage, viewing* and exportation of cooking data (haccp)	Customized programs mode	Manual mode
Preset programs mode	Automatic preheating	Cooling program
Delayed start programming	Delayed cooking programming	Cooking chamber automatic cooling
Pre-loaded and online cookbook	Automatic detection and errors report	Safety rinse
Overlap option	Openable inner glass for easy cleaning	Fan inversion, speed control and motor brake

Options

BakeHIN vacuum core probe	Left door opening
---------------------------	-------------------

Gourmet 5T GN2/3 Master Pro

Electrical Supply





Legend

- A - Drain liquid Ø 30mm
- B - Electric supply
- C - Water inlet 3/4"
- D - Steam exhaust Ø 50mm
- E - Inlet for Clean and Care

Gourmet 5T GN2/3 Master Pro

Electrical Supply

Supply and Connections



Packaging



Packing size:	700 L x 830 P x 770 H mm
Net weight:	45 Kg
Gross weight:	56 Kg