



## Gourmet 5T Master Pro

Gas Supply

CODE: 926004660

|                   |                                                                                          |
|-------------------|------------------------------------------------------------------------------------------|
| Seats             | 20/80                                                                                    |
| Trays             | 5T GN 1/1                                                                                |
| Outside dimension | 715 L x 800 P x 780 H mm                                                                 |
| Tray distance     | 65 mm                                                                                    |
| Power             | 8 kW - 6.880 Kcal/h (*) - Ele. 0,45 kW                                                   |
| Weight            | 79 Kg                                                                                    |
| Max temperature   | 270° C                                                                                   |
| Power supply      | 400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz |

### Equipment



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Display touch screen 7 inches LCD</p> <p>Double low emissive glass</p> <p>USB connection</p> <p>Water collection tray</p> <p>Set-up for BakeHIN vacuum core probe</p> <p>Automatic chimney opening BakeDRY</p> <p>CE Certificate</p> <p>Automatic control of the cooking level and load</p> <p>Customized programs mode</p> <p>Automatic preheating</p> <p>Delayed cooking programming</p> <p>Automatic detection and errors report</p> <p>Adaptive steam pressure and chamber saturation control</p> | <p>Led illumination</p> <p>High-performance thermal insulation</p> <p>Premix burner BakeFIRE</p> <p>Usable also with GN2/3 and GN1/2 trays</p> <p>Five fan speeds and semi-static cooking</p> <p>Program blocking with password</p> <p>Automatic control of dry/steam balance inside the chamber</p> <p>Multi-timer function for multiple and mixed cooking</p> <p>Manual mode</p> <p>Cooling program</p> <p>Cooking chamber automatic cooling</p> <p>Openable inner glass for easy cleaning</p> | <p>BakeAIR multi-fan system</p> <p>BakeCLEAN automatic washing system</p> <p>Blue LED for chamber cleaning check</p> <p>Core probe MultiBakePOINT</p> <p>Nine cooking modes</p> <p>Rounded baking chamber</p> <p>Steam control in percentage BakeSTEAM</p> <p>Storage, viewing* and exportation of cooking data (haccp)</p> <p>Preset programs mode</p> <p>Delayed start programming</p> <p>Pre-loaded and online cookbook</p> <p>Fan inversion, speed control and motor brake</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Options

|                           |                        |                   |
|---------------------------|------------------------|-------------------|
| BakeHIN vacuum core probe | Fat collection BakeFAT | Left door opening |
|---------------------------|------------------------|-------------------|

## Gourmet 5T Master Pro

Gas Supply



### Legend



A - Drain liquid Ø 30mm  
B - Equipotential terminal comb  
C - Electric supply 0,45 kW  
D - Water inlet 3/4" steam  
E - Extracting hood supply  
F - Steam exhaust Ø 50mm

G - Inlet for Clean and Care  
H - Depressurizer Ø 12mm  
I - Ø 80mm Combustion chamber fumes exhaust  
L - Gas supply inlet 3/4"  
M - Water inlet 3/4" washing

## Gourmet 5T Master Pro

Gas Supply

### Supply and Connections



### Packaging



|               |                          |
|---------------|--------------------------|
| Packing size: | 790 L x 870 P x 930 H mm |
| Net weight:   | 79 Kg                    |
| Gross weight: | 88 Kg                    |