



Mistral 10T-L Classic

Electrical Supply

CODE: 926010025

Trays	10T 40x80 46x76 cm
Outside dimension	800 L x 1300 P x 1120 H mm
Tray distance	90 mm
Power	20 kW
Weight	148 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment



Led illumination High-performance thermal insulation Five fan speeds and semi-static cooking Program blocking with password CE Certificate Automatic control of the cooking level and load Customized programs mode Automatic preheating Delayed cooking programming Safety rinse Fan inversion, speed control and motor brake	BakeAIR multi-fan system BakeCLEAN automatic washing system Five cooking modes Rounded baking chamber Automatic control of dry/steam balance inside the chamber Multi-timer function for multiple and mixed cooking Manual mode Cooling program Pre-loaded and online cookbook Overlap option	Double low emissive glass Blue LED for chamber cleaning check Automatic chimney opening BakeDRY Modularity Steam control in percentage BakeSTEAM Storage, viewing* and exportation of cooking data (haccp) Preset programs mode Delayed start programming Automatic detection and errors report Openable inner glass for easy cleaning
---	---	--

Options

Left door opening	Data logger for USB connection
-------------------	--------------------------------

Mistral 10T-L Classic

Electrical Supply



Legend



A - Drain liquid Ø 30mm
B - Equipotential terminal comb
C - Electric supply
D - Water inlet 3/4"
E - Extracting hood supply
F - Steam exhaust Ø 80mm

G - Inlet for washing kit 3/4"
H - Wash suction pipe for detergent


Mistral 10T-L Classic

Electrical Supply

Supply and Connections



Packaging



Packing size:	900 L x 1530 P x 1320 H mm
Net weight:	148 Kg
Gross weight:	201 Kg