



Mistral 5T Classic

Electrical Supply

CODE: 926005015

Trays	5T 40x60 46x66 cm
Outside dimension	800 L x 1150 P x 670 H mm
Tray distance	90 mm
Power	9 kW
Weight	85 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment



Led illumination	BakeAIR multi-fan system	Double low emissive glass
High-performance thermal insulation	BakeCLEAN automatic washing system	Blue LED for chamber cleaning check
Five fan speeds and semi-static cooking	Five cooking modes	Automatic chimney opening BakeDRY
Program blocking with password	Rounded baking chamber	Modularity
CE Certificate	Automatic control of dry/steam balance inside the chamber	Steam control in percentage BakeSTEAM
Automatic control of the cooking level and load	Multi-timer function for multiple and mixed cooking	Storage, viewing* and exportation of cooking data (haccp)
Customized programs mode	Manual mode	Preset programs mode
Automatic preheating	Cooling program	Delayed start programming
Delayed cooking programming	Pre-loaded and online cookbook	Automatic detection and errors report
Safety rinse	Overlap option	Openable inner glass for easy cleaning
Fan inversion, speed control and motor brake		

Options

Left door opening	Data logger for USB connection
-------------------	--------------------------------

Mistral 5T Classic

Electrical Supply



Legend


A - Drain liquid Ø 30mm
B - Equipotential terminal comb
C - Electric supply
D - Water inlet 3/4"
E - Extracting hood supply
F - Steam exhaust Ø 80mm

G - Inlet for washing kit 3/4"
H - Wash suction pipe for detergent


Mistral 5T Classic

Electrical Supply

Supply and Connections



Packaging



Packing size:	900 L x 1330 P x 870 H mm
Net weight:	85 Kg
Gross weight:	125 Kg