



Mistral 5T Master Pro

Electrical Supply

CODE: 926005050

Trays	5T 40x60 46x66 cm
Outside dimension	800 L x 1150 P x 670 H mm
Tray distance	90 mm
Power	9 kW
Weight	85 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment



Led illumination High-performance thermal insulation Blue LED for chamber cleaning check Automatic chimney opening BakeDRY Modularity Steam control in percentage BakeSTEAM Time-programmable steam injection Customized programs mode Automatic preheating Delayed cooking programming Automatic detection and errors report Openable inner glass for easy cleaning	BakeAIR multi-fan system BakeCLEAN automatic washing system Five fan speeds and semi-static cooking Program blocking with password CE Certificate Automatic control of the cooking level and load Manual steam injection Manual mode Cooling program Cooking chamber automatic cooling Safety rinse Fan inversion, speed control and motor brake	Double low emissive glass USB connection Five cooking modes Rounded baking chamber Automatic control of dry/steam balance inside the chamber Multi-timer function for multiple and mixed cooking Storage, viewing* and exportation of cooking data (haccp) Preset programs mode Delayed start programming Pre-loaded and online cookbook Overlap option
--	--	--

Options

Ethernet connection and wi-fi set-up BakeNET	Left door opening
--	-------------------

Mistral 5T Master Pro

Electrical Supply



Legend


A - Drain liquid Ø 30mm
B - Equipotential terminal comb
C - Electric supply
D - Water inlet 3/4"
E - Extracting hood supply
F - Steam exhaust Ø 80mm

G - Inlet for washing kit 3/4"
H - Wash suction pipe for detergent


Mistral 5T Master Pro

Electrical Supply

Supply and Connections



Packaging



Packing size:	900 L x 1330 P x 870 H mm
Net weight:	85 Kg
Gross weight:	125 Kg