



## Gourmet 7T-L Classic

Electrical Supply

CODE: 926007320

Trays	7T GN 1/1
Outside dimension	850 L x 930 P x 830 H mm
Tray distance	65 mm
Power	10 kW
Weight	83 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

### Equipment


Led illumination	BakePOINT Multipoint core probe	BakeAIR multi-fan system
Double low emissive glass	High-performance thermal insulation	BakeCLEAN automatic washing system
Blue LED for chamber cleaning check	Water collection tray	Five fan speeds and semi-static cooking
Nine cooking modes	Automatic chimney opening BakeDRY	Program blocking with password
Rounded baking chamber	Modularity	CE Certificate
Automatic control of dry/steam balance inside the chamber	Steam control in percentage BakeSTEAM	Multi-timer function for multiple and mixed cooking
Storage, viewing* and exportation of cooking data (haccp)	Customized programs mode	Manual mode
Preset programs mode	Automatic preheating	Cooling program
Delayed start programming	Delayed cooking programming	Pre-loaded and online cookbook
Automatic detection and errors report	Safety rinse	Overlap option
Openable inner glass for easy cleaning	Fan inversion, speed control and motor brake	Adaptive steam pressure and chamber saturation control

### Options

Heart probe MultiBakePOINT	Fat collection BakeFAT	Left door opening
Data logger for USB connection		

Gourmet 7T-L Classic

Electrical Supply



**Legend**


- A - Drain liquid Ø 30mm
- B - Equipotential terminal comb
- C - Electric supply
- D - Water inlet 3/4" steam
- E - Extracting hood supply
- F - Steam exhaust Ø 50mm

- G - Inlet for Clean and Care
- H - Water inlet 3/4" washing

Gourmet 7T-L Classic

Electrical Supply

Supply and Connections



Packaging



Packing size:	920 L x 1000 P x 980 H mm
Net weight:	83 Kg
Gross weight:	101 Kg