



## Gourmet 5T Master Pro

Electrical Supply

CODE: 926004630

Seats	20/80
Trays	5T GN 1/1
Outside dimension	715 L x 800 P x 670 H mm
Tray distance	65 mm
Power	5,5 kW
Weight	61 Kg
Max temperature	270° C
Power supply	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

### Equipment

Display touch screen 7 inches LCD  
Double low emissive glass  
USB connection  
Usable also with GN2/3 and GN1/2 trays  
Five fan speeds and semi-static cooking  
Program blocking with password  
CE Certificate

Automatic control of the cooking level and load  
Customized programs mode  
Automatic preheating  
Delayed cooking programming  
Automatic detection and errors report  
Fan inversion, speed control and motor brake

Led illumination  
High-performance thermal insulation  
Blue LED for chamber cleaning check  
Core probe MultiBakePOINT  
Nine cooking modes  
Rounded baking chamber  
Automatic control of dry/steam balance inside the chamber  
Multi-timer function for multiple and mixed cooking  
Manual mode  
Cooling program  
Cooking chamber automatic cooling  
Overlap option  
Adaptive steam pressure and chamber saturation control

BakeAIR multi-fan system  
BakeCLEAN automatic washing system  
Water collection tray  
Set-up for BakeHIN vacuum core probe  
Automatic chimney opening BakeDRY  
Modularity  
Steam control in percentage BakeSTEAM  
Storage, viewing\* and exportation of cooking data (haccp)  
Preset programs mode  
Delayed start programming  
Pre-loaded and online cookbook  
Openable inner glass for easy cleaning

### Options



BakeHIN vacuum core probe

Fat collection BakeFAT

Left door opening

Gourmet 5T Master Pro

Electrical Supply



**Legend**

- A - Drain liquid Ø 30mm
- B - Equipotential terminal comb
- C - Electric supply
- D - Water inlet 3/4" steam
- E - Extracting hood supply
- F - Steam exhaust Ø 50mm

- G - Inlet for Clean and Care
- H - Depressurizer Ø 12mm
- M - Water inlet 3/4" washing

**Gourmet 5T Master Pro**

Electrical Supply

**Supply and Connections**



**Packaging**



Packing size:	790 L x 870 P x 830 H mm
Net weight:	61 Kg
Gross weight:	74 Kg