



Mistral 5T-L Master Pro

Electrical Supply

CODE: 926005150

| | |
|-------------------|--|
| Trays | 5T 40x80 46x76 cm |
| Outside dimension | 800 L x 1300 P x 670 H mm |
| Tray distance | 90 mm |
| Power | 9 kW |
| Weight | 93 Kg |
| Max temperature | 270° C |
| Power supply | 400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz |

Equipment


| | | |
|--|---|---|
| Led illumination | BakeAIR multi-fan system | Double low emissive glass |
| High-performance thermal insulation | BakeCLEAN automatic washing system | USB connection |
| Blue LED for chamber cleaning check | Five fan speeds and semi-static cooking | Five cooking modes |
| Automatic chimney opening BakeDRY | Program blocking with password | Rounded baking chamber |
| Modularity | CE Certificate | Automatic control of dry/steam balance inside the chamber |
| Steam control in percentage BakeSTEAM | Automatic control of the cooking level and load | Multi-timer function for multiple and mixed cooking |
| Time-programmable steam injection | Manual steam injection | Storage, viewing* and exportation of cooking data (haccp) |
| Customized programs mode | Manual mode | Preset programs mode |
| Automatic preheating | Cooling program | Delayed start programming |
| Delayed cooking programming | Cooking chamber automatic cooling | Pre-loaded and online cookbook |
| Automatic detection and errors report | Safety rinse | Overlap option |
| Openable inner glass for easy cleaning | Fan inversion, speed control and motor brake | |

Options

| | |
|--|-------------------|
| Ethernet connection and wi-fi set-up BakeNET | Left door opening |
|--|-------------------|

Mistral 5T-L Master Pro

Electrical Supply



Legend

- A - Drain liquid Ø 30mm
- B - Equipotential terminal comb
- C - Electric supply
- D - Water inlet 3/4"
- E - Extracting hood supply
- F - Steam exhaust Ø 80mm

- G - Inlet for washing kit 3/4"
- H - Wash suction pipe for detergent

Mistral 5T-L Master Pro

Electrical Supply

Supply and Connections



Packaging



| | |
|---------------|---------------------------|
| Packing size: | 900 L x 1530 P x 870 H mm |
| Net weight: | 93 Kg |
| Gross weight: | 133 Kg |